












































GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lgn [m]
POS T1 (1 ком.)						
1	800	RA2	12	8.00	12	96.00
2	600	RA2	12	6.00	12	72.00
3	615	RA2	12	6.15	12	73.80
4	575	RA2	12	5.75	12	69.00
5	615	RA2	10	6.15	4	24.60
6	575	RA2	10	5.75	4	23.00
7		RA2	10	3.08	138	425.04
POS T2 i POS T3 (2 ком.)						
1	600	RA2	12	6.00	120	720.00
2	520	RA2	12	5.20	48	249.60
3	400	RA2	12	4.00	24	96.00
5	490	RA2	10	4.90	16	78.40
6	400	RA2	10	4.00	8	32.00
7		RA2	10	2.68	346	927.28
POS T4 i POS T7 (2 ком.)						
1	405	RA2	12	4.05	20	81.00
2	405	RA2	10	4.05	4	16.20
3		RA2	10	2.68	34	91.12
POS T5 i POS T6 (2 ком.)						
1	500	RA2	12	5.00	48	240.00
2	455	RA2	12	4.55	52	236.60
3	500	RA2	10	5.00	8	40.00
4	455	RA2	10	4.55	4	18.20
5		RA2	10	2.68	64	171.52
6		RA2	10	4.68	62	290.16
POS TS (1 ком.)						
1		RA2	12	5.05	26	131.30
2	455	RA2	10	4.55	2	9.10
















GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
3		RA2	10	4.68	31	145.08
POS TG1 (2 ком.)						
1		RA2	12	4.00	16	64.00
2		GA	8	1.42	24	34.08
POS TG2 (4 ком.)						
1		RA2	12	3.84	40	153.60
2		GA	8	2.42	60	145.20
POS 101 (1 ком.)						
1		RA2	19	5.50	8	44.00
2		RA2	19	8.00	4	32.00
3		RA2	19	6.00	2	12.00
4		RA2	10	5.50	16	88.00
5		GA	8	2.06	100	206.00
POS 102 I POS 103 (2 ком.)						
1		RA2	22	10.40	12	124.80
2		RA2	22	6.00	12	72.00
3		RA2	22	9.50	6	57.00
4		RA2	22	8.00	8	64.00
5		RA2	10	9.75	16	156.00
6		GA	10	2.06	252	519.12















GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
POS 104 i POS 105 (1 ком.)						
1		RA2	16	3.70	6	22.20
2		RA2	16	5.40	12	64.80
3		RA2	16	6.00	6	36.00
4		RA2	16	5.40	9	48.60
5		GA	8	1.26	222	279.72
POS 106, POS 110 i POS GRST1 (3 ком.)						
1		RA2	16	3.75	18	67.50
2		GA	8	1.26	63	79.38
POS 107 (1 ком.)						
1		RA2	19	4.60	2	9.20
2		RA2	19	2.50	2	5.00
3		RA2	19	8.00	2	16.00
4		RA2	19	3.80	2	7.60
5		RA2	19	4.60	2	9.20
6		RA2	16	3.90	3	11.70
7		RA2	16	5.50	3	16.50
8		RA2	10	4.15	2	8.30
9		RA2	10	3.15	4	12.60
10		RA2	10	4.20	4	16.80
11		RA2	10	4.00	2	8.00
12		GA	8	2.06	64	131.84

GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
13		GA	8	1.26	21	26.46
POS GRST2 (1 ком.)						
1		RA2	14	7.60	6	45.60
2		GA	8	1.26	45	56.70
POS 108 (1 ком.)						
1		RA2	19	6.00	4	24.00
2		RA2	19	4.00	2	8.00
3		RA2	19	5.50	2	11.00
4		RA2	19	8.00	2	16.00
5		RA2	19	2.50	2	5.00
6		RA2	10	3.55	4	14.20
7		RA2	10	4.25	4	17.00
8		RA2	10	4.40	4	17.60
9		GA	8	2.06	67	138.02
POS 109 (1 ком.)						
1		RA2	19	4.60	2	9.20
2		RA2	19	2.50	2	5.00
3		RA2	19	8.00	2	16.00
4		RA2	19	3.80	2	7.60
5		RA2	19	4.60	2	9.20
6		RA2	16	3.82	3	11.46


















GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
7		RA2	14	2.25	2	4.50
8		RA2	10	4.15	2	8.30
9		RA2	10	3.15	4	12.60
10		RA2	10	4.20	4	16.80
11		RA2	10	4.00	2	8.00
12		GA	8	2.06	64	131.84
13		GA	8	1.26	11	13.86
POS 202 i POS 203 (2 ком.)						
1		RA2	16	5.95	16	95.20
2		RA2	16	7.05	12	84.60
3		RA2	16	8.00	6	48.00
4		RA2	16	3.00	6	18.00
5		RA2	16	8.00	16	128.00
6		RA2	10	4.35	8	34.80
7		RA2	10	6.50	8	52.00
8		GA	8	1.66	244	405.04
POS 204 i POS 205 (2 ком.)						
1		RA2	16	5.30	12	63.60
2		RA2	16	2.00	4	8.00
3		RA2	16	6.65	12	79.80

GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
4		RA2	16	5.45	12	65.40
5		RA2	16	6.40	12	76.80
6		RA2	16	5.00	18	90.00
7		GA	10	1.26	524	660.24
POS 206 i POS 210 (2 ком.)						
1		RA2	16	3.75	8	30.00
2		GA	8	1.26	32	40.32
POS 207 i POS 209 (2 ком.)						
1		RA2	16	7.00	8	56.00
3		GA	8	1.26	84	105.84
POS 208 (1 ком.)						
1		RA2	14	6.85	2	13.70
2		RA2	14	5.40	2	10.80
3		RA2	14	3.80	2	7.60
4		RA2	14	5.60	2	11.20
5		GA	8	1.26	59	74.34
POS 211 (2 ком.)						
1		RA2	14	3.65	12	43.80

GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
2		GA	8	1.06	42	44.52
POS 212 (2 ком.)						
1		RA2	16	3.20	4	12.80
2		RA2	16	5.00	4	20.00
3		RA2	16	3.00	4	12.00
4		RA2	16	4.00	4	16.00
5		RA2	16	3.60	4	14.40
6		RA2	16	5.85	4	23.40
7		GA	10	1.06	170	180.20
POS S5 (2 ком.)						
1		RA2	16	1.75	16	28.00
2		RA2	16	5.50	16	88.00
3		RA2	16	6.20	16	99.20
4		GA	8	2.71	100	271.00
5		GA	8	1.71	100	171.00
POS S2 (1 ком.)						
1		RA2	16	1.75	7	12.25
2		RA2	16	5.50	7	38.50

GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lg n [m]
3		RA2	16	6.20	5	31.00
4		GA	8	2.71	50	135.50
5		GA	8	1.71	50	85.50
POS S4 (1 ком.)						
1		RA2	16	1.75	10	17.50
2		RA2	16	5.50	10	55.00
3		RA2	16	6.20	8	49.60
4		GA	8	3.21	50	160.50
5		GA	8	1.71	50	85.50
POS S1 (4 ком.)						
1		RA2	16	1.75	20	35.00
2		RA2	16	7.55	20	151.00
3		RA2	16	8.25	20	165.00
5		GA	8	1.71	312	533.52
POS S1 - 1 (2 ком.)						
1		RA2	16	1.75	10	17.50
2		RA2	16	9.07	10	90.70



GA/RA						
озн.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [ком.]	lgn [m]
3		RA2	16	7.22	10	72.20
4		RA2	16	3.55	10	35.50
5		GA	8	1.71	166	283.86
POS S3 (8 ком.)						
1		RA2	16	1.75	32	56.00
2		RA2	16	9.07	32	290.24
3		RA2	16	7.22	32	231.04
4		RA2	16	3.55	32	113.60
5		GA	8	1.21	664	803.44
POS S3 - 1 (4 ком.)						
1		RA2	16	1.75	16	28.00
2		RA2	16	7.55	16	120.80
3		RA2	16	8.25	16	132.00
5		GA	8	1.21	312	377.52
POS Z1 (1 ком.)						
1		RA2	16	1.75	6	10.50
2		RA2	16	9.07	6	54.42
3		RA2	16	7.22	6	43.32
4		RA2	16	3.55	5	17.75
5		RA2	12	2.00	2	4.00















GA/RA						
ОЗН.	облик и мере [cm]	GA/RA	Ø	lg [m]	n [КОМ.]	lg n [m]
6		RA2	10	3.43	21	72.03
7		GA	8	1.57	122	191.54
POS ST - AB STEPENISTE (1 КОМ.)						
1		RA2	10	3.50	22	77.00
2		RA2	10	5.50	10	55.00
3		RA2	10	3.75	10	37.50
4		RA2	12	3.00	14	42.00
5		RA2	12	3.00	14	42.00
6		RA2	10	2.10	10	21.00
7		RA2	10	1.20	10	12.00
8		RA2	10	1.20	10	12.00
9		RA2	8	1.55	87	134.85
NADVRATNICI, NADPROZORNICI (1 КОМ.)						
1		RA2	12	6.00	20	120.00

Шипке - рекапитулација			
Ø [mm]	lgn [m]	Јединична тежина [kg/m]	Тежина [kg]
GA			
8	5012.04	0.40	1979.76
10	1359.56	0.62	838.85
Укупно			2818.60
RA2			
8	134.85	0.41	54.61
10	3049.23	0.63	1930.16
12	2490.90	0.91	2269.21
14	137.20	1.24	170.40
16	3304.38	1.62	5356.40
19	246.00	2.29	562.85
22	317.80	3.06	971.83
Укупно			11315.47





Мреже - спецификација						
Позиција	Ознака мреже	B [cm]	L [cm]	n	Јединична тежина [kg/m2]	Укупна тежина [kg]
PLOČA I ZID KANALA, AB SOKLO, PODNA PLOČA, TROTOARI (1 ком.)						
I	Q-188	215	605	36	2.96	1386.08
I-1	Q-188	215	100	96	2.96	610.94
I-2	Q-188	205	100	2	2.96	12.14
I-3	Q-188	215	155	20	2.96	197.28
I-4	Q-188	90	155	4	2.96	16.52
I-5	Q-188	215	125	8	2.96	63.64
I-6	Q-188	150	125	2	2.96	11.10
I-7	Q-188	215	550	4	2.96	140.01
I-8	Q-188	115	605	2	2.96	41.15
I-9	Q-188	215	605	4	2.96	154.01
I-10	Q-188	215	420	22	2.96	588.03
I-11	Q-188	200	605	2	2.96	71.63
I-12	Q-188	125	550	2	2.96	40.70
Укупно						3333.23
POS 100 - AB PLOČA (1 ком.)						
I	Q-188	215	605	2	2.96	77.00
I-1	Q-188	81	61	1	2.96	1.47
I-2	Q-188	84	347	1	2.96	8.58
I-3	Q-188	215	82	3	2.96	15.75
I-4	Q-188	61	575	1	2.96	10.38
I-5	Q-188	78	82	1	2.96	1.92
I-6	Q-188	208	82	1	2.96	5.07
I-7	Q-188	113	101	1	2.96	3.37
I-8	Q-188	215	135	1	2.96	8.59
I-9	Q-188	215	320	1	2.96	20.36
I-10	Q-188	180	605	1	2.96	32.23
I-11	Q-188	180	141	1	2.96	7.51
I-12	Q-188	215	361	2	2.96	45.95
I-13	Q-188	100	605	2	2.96	35.82
I-14	Q-188	100	361	2	2.96	21.37
I-15	Q-188	50	420	1	2.96	6.22
I-16	Q-188	25	605	3	2.96	13.43
I-17	Q-188	25	247	1	2.96	1.83
I-18	Q-188	50	395	1	2.96	5.85
I-19	Q-188	167	135	1	2.96	6.69
I-20	Q-188	67	135	1	2.96	2.66
I-21	Q-188	82	135	1	2.96	3.30
I-22	Q-188	82	605	1	2.96	14.77
I-23	Q-188	82	101	1	2.96	2.47
I-25	Q-188	112	297	1	2.96	9.90
I-27	Q-188	113	61	2	2.96	4.09
II	Q-524	215	605	2	8.22	213.84
II-1	Q-524	215	64	1	8.22	11.35






Мреже - спецификација						
Позиција	Ознака мреже	В [cm]	L [cm]	n	Јединична тежина [kg/m2]	Укупна тежина [kg]
II-2	Q-524	88	605	1	8.22	43.63
II-3	Q-524	88	64	1	8.22	4.63
II-4	Q-524	215	179	1	8.22	31.72
II-5	Q-524	211	605	1	8.22	104.93
II-6	Q-524	211	180	1	8.22	31.13
III	Q-257	215	605	3	4.02	156.87
III-1	Q-257	215	605	1	4.02	52.29
III-2	Q-257	138	85	1	4.02	4.70
III-3	Q-257	106	347	1	4.02	14.80
III-4	Q-257	215	361	3	4.02	93.60
III-5	Q-257	200	605	2	4.02	97.28
III-6	Q-257	200	361	2	4.02	58.05
III-7	Q-257	215	320	1	4.02	27.66
III-8	Q-257	150	320	1	4.02	19.30
III-9	Q-257	150	605	1	4.02	36.48
III-10	Q-257	150	361	1	4.02	21.77
IV-1	R-283	215	475	6	2.74	167.80
IV-2	R-283	139	475	2	2.74	36.29
V	Q-335	215	605	2	5.26	136.84
V-1	Q-335	88	485	1	5.26	22.35
V-2	Q-335	215	485	7	5.26	383.94
V-3	Q-335	161	485	1	5.26	41.04
V-4	Q-335	215	361	2	5.26	81.65
V-5	Q-335	200	605	2	5.26	127.29
V-6	Q-335	200	361	2	5.26	75.95
Укупно						2463.78
POS Z1 (1 ком.)						
II-1	Q-257	168	296	2	4.02	39.98
II-2	Q-257	215	296	8	4.02	204.67
II-3	Q-257	103	296	2	4.02	24.51
Укупно						269.16

Мреже - рекапитулација					
Ознака мреже	В [cm]	L [cm]	n	Јединична тежина [kg/m2]	Укупна тежина [kg]
Q-188	215	605	101	2.96	3888.72
Q-524	215	605	5	8.22	534.61
Q-257	215	605	22	4.02	1150.38
R-283	215	605	8	2.74	285.12
Q-335	215	605	17	5.26	1163.13
Укупно					7021.97






## POS 100 - AB PLOČA














Q-524 (215 cm x 605 cm)




Q-257 (215 cm x 605 cm)








III-8 150 x 320




III-3 106 x 347


R-283 (215 cm x 605 cm)



IV-1 215 x 475




IV-2 139 x 475




IV-2 139 x 475


Q-335 (215 cm x 605 cm)




V-5 200 x 605




V-2 215 x 485




V-2 215 x 485




V-3 161 x 485



V-4 215 x 361




V-6 200 x 361




V-1 88 x 485

POS Z1


Q-257 (215 cm x 605 cm)




II-2 215 x 296  
II-2 215 x 296



II-2 215 x 296  
II-2 215 x 296



II-1 168 x 296  
II-1 168 x 296



II-3 103 x 296  
II-3 103 x 296